

# 江阴协达特种化纤有限公司

JIANGYIN XIEDA SPECIAL CHEMICAL FIBER CO.,LTD.

## 企业简介 COMPANY INTRODUCTION

江阴协达特种化纤有限公司成立于2006年3月,公司座落于位于经济发达、交通便利的江苏省江阴市长泾镇工业集中区。公司有3条涤纶短纤生产线,日产量为150吨,年产量达30000多吨。

公司主营各种有色、白色、黑色涤纶短纤维以及各种羽丝棉,产品规格从1.4D-15D;纤维长度32MM-150MM。常规颜色主要有:普黑中化、中纤黑中化、特黑中化,其他颜色都是定喷,颜色有:大红、藏青、宝蓝、松子灰、铁灰、天蓝、天空蓝、粉红、玫红、橘红、咖啡、紫罗兰等,同时公司可以根据客户的要求生产各种有色纤维,公司产品主要应用于纺纱,热轧布,喷胶棉,无纺布,汽车内饰,地毯,床上用品,填充料,喷胶棉等领域。

我公司是集研发、生产、销售、外贸进出口于一体的技术型企业,具有ISO以及GRS等相关认证,公司以"质量就是生命"为经营理念,狠抓产品质量,以先进的企业文化,严格的管理制度,科学的考核办法,确保企业能够长远发展,不断进取,质量稳定、深受国内外客商青睐,已经成功进入东南亚,美国,欧洲,中南美,中东等国家和地区,先后被评为江阴市明星企业、无锡市明星企业、无锡市重合同守信用、江苏省AAA级信用企业、江苏省明星企业。

Jiangyin Xieda Special Chemical Fiber Co., Ltd, established in March,2006,located in Changjing Town, Jiangyin, Jiangsu, with developed economy and convenient transportation. The company owned 3 production line of polyester staple fiber, with daily output up to 150 tons and annual capacity more than 30000 tons.

XIEDA is mainly engaged in the production and sales of spinning colored polyester staple fiber with specification from 1.4D to 15D and cut-length from 32mm to 150mm. The conventional colors mainly include: Raw white, optical white, Normal black, super black. Royal blue, navy blue, chocolate brown, pink, red and so on. These fiber mainly been applied to spinning, hot rolling cloth, spray-bonded cotton, non-woven fabrics, automotive interior, carpet, bedding, filling compound and spray-bonded cotton, etc.

Xieda is a technology enterprise integrating R & D, production, sales, import and export of foreign trade into a whole one. We have ISO, GRS certificate and exported to Southeast Asia, the U.S.A, Europe, South America and the Middle East, etc. The company has been awarded successively as Jiangyin Star Enterprise, Wuxi Star Enterprise, Wuxi Enterprise of Abiding by Strictly Contract and Being Trust Worthy, AAA-Credit Enterprise of Jiangsu Province and Jiangsu Star Enterprise.

We give our warm welcome to everyone and look forwarder to the cooperation with you .



## 企业简介

江阴协达特种化纤有限公司成立于2006年3月,公司座落于经济发达、交通便利的江苏省江阴市长泾镇工业集中区。公司有6条涤纶短纤生产线,日产量为360吨,年产量达13万吨。

公司专业从事纺织及相关资源的循环再生利用,主营各种差别化以及功能性涤纶短纤维的生产和销售。公司产品品质优良、种类丰富,纤维规格从0.5D-30D;纤维长度32MM-150MM。常规颜色主要有:白色、普黑、中黑、特黑、墨黑等。我公司还可以定制各种有色涤纶短纤,例如大红、藏青、宝蓝、天蓝、粉红、玫红、咖啡、紫罗兰等。公司产品主要应用于纺纱,热轧布,喷胶棉,无纺布,汽车内饰,地毯,床上用品,填充料,喷胶棉等领域。

公司是集研发、生产、销售、外贸进出口于一体的技术型企业,并积极推进产品“品牌化”、“高端化”、“国际化”、“定制化”战略。公司以“质量就是生命”为经营理念,狠抓产品质量,以先进的企业文化,严格的管理制度,科学的考核办法,确保企业能够长远发展和不断进取。

公司所生产的各种差别化纤维质量稳定,产品通过了国际专业机构如GRS、SGS、INTERTEK等认证与验收,深受国内外客商青睐,并且已经成功进入东南亚、美国、欧洲、南美、中东等国际市场。

公司先后被评为江阴市明星企业、无锡市明星企业、无锡市重合同守信用、江苏省AAA级信用企业、江苏省明星企业。



地址: 江阴市长泾镇工业集中区兴园路98号  
电话: 0510-86314009  
传真: 0510-86314700  
网址: <http://www.xdtzchemicalfiber.com>

● 一流工艺 质量第一  
● 讲究信誉 顾客满意

JIANGYIN XIEDA SPECIAL CHEMICAL FIBER CO., LTD, ESTABLISHED IN MARCH,2006,LOCATED IN CHANGJING TOWN, JIANGYIN, JIANGSU WITH DEVELOPED ECONOMY AND CONVENIENT TRANSPORTATION. THE COMPANY HAS 6 PRODUCTION LINES OF POLYESTER STAPLE FIBER, WITH DAILY OUTPUT UP TO 360 TONS AND ANNUAL CAPACITY MORE THAN 130000 TONS.

XIEDA IS SPECIALIZED IN THE RECYCLING OF TEXTILE AND RELATED RESOURCES,DEVELOPING AND PRODUCING ADVANCED DIFFERENTIATED FUNCTIONAL FIBER NEW MATERIALS.THE COMPANY'S PRODUCTS ARE EXCELLENT IN QUALITY AND RICH IN VARIETY, FIBER SPECIFICATION FROM 0.5D-30D,CUT LENGTH FROM 12MM -300MM.THE CONVENTIONAL COLORS MAINLY INCLUDE: RAW WHITE, OPTICAL WHITE ,NORMAL BLACK, SUPER BLACK AND JET BLACK . WE CAN ALSO PRODUCE DOPE DYED ACCORDING TO CUSTOMER' S REQUEST,LIKE RED,ROYAL BLUE, NAVY BLUE, PINK ETC. THESE FIBER MAINLY BEEN APPLIED TO YARN SPINNING, HOT ROLLING CLOTH, SPRAY-BONDED COTTON, NON-WOVEN FABRICS, AUTOMOTIVE INTERIOR, CARPET, BEDDING, FILLING COMPOUND AND SPRAY-BONDED COTTON ETC.

XIEDA IS A TECHNOLOGY ENTERPRISE INTEGRATING R&D, PRODUCTION AND SALES. COMPANY ACTIVELY PROMOTE THE PRODUCT "BRAND", "HIGH-END", "INTERNATIONAL", "CUSTOMIZED" STRATEGY .THE COMPANY TAKES "QUALITY IS LIFE" AS THE MANAGEMENT IDEA, PAYS CLOSE ATTENTION TO THE PRODUCT QUALITY, WITH THE ADVANCED ENTERPRISE CULTURE, THE STRICT MANAGEMENT SYSTEM,THE SCIENTIFIC APPRAISAL METHOD, GUARANTEES THE ENTERPRISE TO BE ABLE THE LONG-TERM DEVELOPMENT AND THE UNCEASING PROGRESS

OUR PRODUCTS' QUALITY IS STABLE AND HAVE PASSED THE CERTIFICATION AND ACCEPTANCE OF INTERNATIONAL PROFESSIONAL ORGANIZATIONS SUCH AS GRS, SGS , INTERTEK, ETC. , AND HAS SUCCESSFULLY ENTERED THE SOUTH-EAST ASIA, THE UNITED STATES, EUROPE, SOUTH AMERICA, THE MIDDLE EAST AND OTHER INTERNATIONAL MARKETS.

THE COMPANY HAS BEEN AWARDED SUCCESSIVELY AS JIANGYIN STAR ENTERPRISE, WUXI STAR ENTERPRISE, WUXI ENTERPRISE OF ABIDING BY STRICTLY CONTRACT AND BEING TRUST WORTHY, AAA-CREDIT ENTERPRISE OF JIANGSU PROVINCE AND JIANGSU STAR ENTERPRISE.



**ADDRESS:** No.98 Xingyuan Road Changjing Town Jiangyin City Jiangsu Province Chian  
**PHONE:** 0086(510)86314009  
**FAX:** 0086(510)86314700  
**WEB:** <http://www.xdtzchemicalfiber.com>



## SPINNING YARN PSF

OUR FIBER CAN BE WIDELY USED IN SPINNING YARN, LIKE 8S/1, 12/1, 18/1, 21/1, 32/1, 40/1. WE CAN ALSO MAKE TOW AS ORDER.

SPECIFICATION: 1.2D-1.4D.

CUT-LENGTH: 32MM-38MM

GRADE: VIRGIN AND RECYCLED

COLOR: RAW WHITE, SUPER WHITE, BLACK, DOPE DYED



## AUTOMOTIVE INTERIOR TRIM MATERIAL PSF

OUR FIBER CAN BE WIDELY USED IN AUTOMOTIVE INTERIOR, INCLUDING AUTOMOTIVE MAIN CARPET, TRUNK CARPET, HEADLINER, THE BOTTOM OF THE CAR CARPET MAT AND CAR FOOT MAT ETC., COLOR CAN BE BLACK COLOR, GREY COLOR, THE FIBER CAN BE HYDROPHILIC FIBER OR WATER REPELLENT FIBER. OUR FIBER HAS BEEN USED IN VOLKSWAGEN, BMW, MERCEDES, JAPAN PAR AND SOUTH KOREA CAR.

SPECIFICATION: 2.5D-23D.

CUT-LENGTH: 32MM-102MM



## GEO-TEXTILE PSF

OUR FIBER CAN BE WIDELY USED ON GEO-TEXTILE.

CHARACTERISTICS OF FIBER:

ISOLATION, FILTRATION, DRAINAGE, REINFORCE, PROTECTION, HIGH TENSILE STRENGTH, GOOD PERMEABILITY, HIGH TEMPERATURE RESISTANCE, FREEZING RESISTANCE, ANTI-AGING, CORROSION RESISTANCE, MOTH RESISTANCE.

SPECIFICATION: 2.5D-23D.

CUT-LENGTH: 32MM-102MM



## FLAME-RETARDANT PSF

OUR FLAME RETARDANT POLYESTER STAPLE FIBERS ARE MAINLY USED FOR SPINNING YARN, AUTOMOTIVE INTERIORS, CARPETS, DECORATION CLOTH ETC. WE USE FLAME RETARDANT CHIPS DIRECTLY FOR MELT SPINNING TO MAKE SURE GREAT FLAME RETARDANT EFFECT, THE LIMITING OXYGEN INDEX (LOI) IS OVER 35%. VARIOUS COLOR CAN BE CUSTOMIZED.

SPECIFICATION: 1.4D-23D.

CUT-LENGTH: 32MM-102MM



## FILLING USE PSF

WE CAN PRODUCE FILLING USE PSF DEPEND ON CUSTOMER'S REQUESTS. IT CAN BE USED IN QUILT, PILLOW, JACKET ETC.

SPECIFICATION:

0.5D\*25MM SILICON

0.8D\*32MM SILICON

0.9D\*32MM SILICON

GRADE: VIRGIN AND RECYCLED



## POLYPROPYLENE FIBER

OUR PP FIBER CAN BE USED IN GEO TEXTILE, FILTRATION, AUTOMOBILES AND SANITARY MATERIALS.

SPECIFICATION: 1.5D-18D

CUT-LENGTH: 32MM-102MM



# 江阴协达特种化纤有限公司

JIANGYIN XIEDA SPECIAL CHEMICAL FIBER CO.,LTD.

## 公司产品 COMPANY PRODUCTS



特白



增白



有色涤纶短纤



黑色涤纶短纤

一流的生产工艺 配合完善质检流程 确保产品品质

# 江阴协达特种化纤有限公司

JIANGYIN XIEDA SPECIAL CHEMICAL FIBER CO.,LTD.

## 生产设备 PRODUCTION EQUIPMENT



根据应用需求 量身定制 专注于此 用心而为

# 江阴协达特种化纤有限公司

## JIANGYIN XIEDA SPECIAL CHEMICAL FIBER CO.,LTD.



**intertek**  
The Quality Source

**Scope Certificate**  
Scope Certificate Number: 15-16-010791-1-045-0001404  
Scope Certificate Number: 15-16-010791-1-045-0001404

**intertek**  
certification

**JIANGYIN QIDA INTERNATIONAL TRADE CO., LTD.**  
Trade Enquiry ID: 75-01-15-022910-0  
License Number: 15-022910-0  
WUHE INDUSTRIAL ZONE, CHANGJIANG INDUSTRIAL ZONE, CHANGJIANG TOWN,  
Jiangsu, CHINA

Facilities audited and found to fully comply with the  
**GLOBAL RECYCLED STANDARD 4.0 (GR4-4.0)**

Product categories mentioned below (and further specified in the product appendix certificate) will be standard.  
Open fibers (production) and their products

Process category is under our control in responsibility of the above mentioned organization for the certificate period under  
**Testing PROGRAM**  
\*The international certificate is not to be certified by the laboratory.

This certificate is subject to annual surveillance  
submissions

Place and Date of Issue  
Issued on: 2015-11-10  
Exp. Date: 2016-11-10  
Issued by:  
Ralph Green  
President, Business Division

**intertek**

intertek.com

5

**intertek**  
The Quality Source

**Products Appendix**

Serial Number	Product Name	Product Category	Product Description	Standard	Test Method
1	Open Fiber	Textile Fiber	Open fiber for production (GR4-4.0)	GR4-4.0	ISO 15704:2015
2	Open Fiber	Textile Fiber	Open fiber for production (GR4-4.0) + Recycled Blend 50%	GR4-4.0	ISO 15704:2015
3	Open Fiber	Textile Fiber	Open fiber for production (GR4-4.0) + Recycled Blend 100%	GR4-4.0	ISO 15704:2015
4	Open Fiber	Textile Fiber	Open fiber for production (GR4-4.0) + Recycled Blend 100%	GR4-4.0	ISO 15704:2015

**intertek**

5

**intertek**  
The Quality Source

**Site Appendix**

Location / Site	Address	Scope Category
WUHE INDUSTRIAL ZONE, CHANGJIANG INDUSTRIAL ZONE, CHANGJIANG TOWN, Jiangsu, CHINA	WUHE INDUSTRIAL ZONE, CHANGJIANG INDUSTRIAL ZONE, CHANGJIANG TOWN, Jiangsu, CHINA	Testing Program

**intertek**

5

